

High Speed Plastic Inflation Machine

LDPE / LLDPE

低密度塑膠高速吹袋機

KML

KML-120



KANG CHYAU



KML-45/55



KML-65



KML-80



KML-120

High Speed Plastic Inflation Machine

LDPE / LLDPE

低密度塑膠高速吹袋機
產品系列與規格表

Specification

MODEL 機型	KML-25	KML-35	KML-45	KML-55	KML-65	KML-80	KML-120
SUITABLE MATERIAL 適用原料	LDPE / LLDPE	LDPE / LLDPE	LDPE / LLDPE	LDPE / LLDPE	LDPE / LLDPE	LDPE / LLDPE	LDPE / LLDPE
FILM THICKNESS 膜厚	0.015~0.10 mm	0.015~0.15 mm	0.02~0.15 mm	0.02~0.15 mm	0.025~0.15 mm	0.03~0.15 mm	0.05~0.15 mm
FILM WIDTH RANGE 膜寬	150 mm	500 mm	650 mm	400~1000 mm	400~1400 mm	2000 mm	1800~3000 mm
FILM OUTPUT 最大膠膜產量	5~15 kgs / hr	10~30 kgs / hr	20~55 kgs / hr	30~72 kgs / hr	50~105 kgs / hr	200 kgs / hr	280 kgs / hr
EXTRUDER UNIT 主機部份							
SCREW DIAMETER / TYPE 螺桿直徑 / 型號	Ø 25 mm	Ø 35 mm	Ø 45mm	Ø 55mm	Ø 65 mm	Ø 80 mm	Ø 120 mm
SCREW L / D RATIO 螺桿長徑比	26 : 1	26 : 1	26 : 1	26 : 1	26 : 1	30 : 1	30 : 1
HEATING CAPACITY 電熱量	3.6 kw	5.2 kw	8.6 kw	12 kw	14.7 kw	22.1 kw	53 kw
AUTO THERMO CONTROL 溫控點	2 zone	3 zone	3 zone	3 zone	4 zone	7 zone	8 zone
BARREL COOLING FAN 螺桿冷卻風扇		1/16 hp x 1	1/16 hp x 2	1/8 hp x 2	1/8 hp x 2	1/8 hp x 5	1/8 hp x 7
DRIVING MOTOR 主驅動馬達	AC 3 hp + INVERTER	AC 10 hp + INVERTER	AC 20 hp + INVERTER	AC 30 hp + INVERTER	AC 50 hp + INVERTER	AC 75 hp + INVERTER	AC 150 hp + INVERTER
DIE UNIT 模頭部份							
DIE DIAMETER 模頭直徑	Ø 40 mm	Ø 100 mm	Ø 150 mm	Ø 200 mm	Ø 350 mm	Ø 500 mm	Ø 750 mm
AIR RING DIAMETER 風環直徑	Ø 100 mm	Ø 150 mm	Ø 200 mm	Ø 250 mm	Ø 400 mm	Ø 550 mm	Ø 800 mm
HEATING CAPACITY 電熱量	1.6 kw	2.9 kw	5 kw	7 kw	14.4 kw	29.8 kw	63 kw
AUTO THERMO CONTROL 溫控點	1 zone	1 zone	2 zone	2 zone	2 zone	3 zone	4 zone
COOLING BLOWER 冷卻風車	1 hp	2 hp	3 hp	5 hp	5 hp	10 hp	10 hp
TAKE-UP UNIT 引取部份							
TAKE-UP ROLLER 引取輪寬	200 mm	660 mm	760 mm	1100 mm	1500 mm	2200 mm	3200 mm
EFFECTIVE WIDTH 有效引取輪寬	150 mm	550 mm	660 mm	1000 mm	1400 mm	2000 mm	3000 mm
TAKE-UP MOTOR 引取馬達	AC 1/2 hp	AC 1/2 hp	AC 1/2 hp	AC 1/2 hp	AC 1 hp	AC 2 hp	AC 3 hp + INVERTER
TAKE-UP SPEED 引取速度	45 m / min	75 m / min	75 m / min	55 m / min	45 m / min	45 m / min	22 m / min
WINDING UNIT 捲取部份							
ROLLER WIDTH 捲取輪寬	200 mm	660 mm	760 mm	1100 mm	1500 mm	2200 mm	3200 mm
WINDING WIDTH 有效捲取寬度	150 mm	550 mm	660 mm	1000 mm	1400 mm	2000 mm	3000 mm
WINDING MOTOR 捲取馬達	12 kgs-cm	DC 1/2 hp	DC 1/2 hp	DC 1 hp	DC 1 hp	DC 2 hp	DC 3 hp
MACHINE DIMENSION 機器尺寸	150 × 70 × 250 cm	400 × 120 × 380 cm	470 × 165 × 400 cm	500 × 220 × 450 cm	800 × 400 × 630 cm	800 × 500 × 900 cm	16.5 × 7 × 10 m

REMARK : The above machine specification and production range can be changed without any notice due to kind of different application.

型錄上之圖片及係數只備參考其尺寸・規格・樣式會因客人所訂購的配件不同而有所改變

High Speed Plastic Inflation Machine

LDPE / LLDPE

低密度塑膠高速吹袋機
產品系列與規格表

KML-25



KML-35



High Speed Plastic Inflation Machine

LDPE / LLDPE

低密度塑膠高速吹袋機
產品系列與規格表

KML-25



KML-35





Whole Plant for Plastic Bags Making Machine

康喬工業有限公司

KANG CHYAU INDUSTRY CO., LTD.

247 新北市蘆洲區復興路 227 巷 28 弄 2-10 號

No. 2-10, Aly. 28, Ln. 227, Fuxing Rd.,

Luzhou Dist., New Taipei City 247, Taiwan

Mail Box: P. O. Box 5-56, Luzhou Dist.,

New Taipei City 247, Taiwan

Tel: +886-2-22856880~1

Fax: +886-2-22856883

E-mail: kang.chyau@msa.hinet.net

Internet: www.kangchyau.com.tw

