

智慧回收 聰明選擇
YOUR

SMART

RECYCLING SPECIALISTS



 **GENIUS**

Twin Shaft Shredder

Kroko Twin Series

Cost Effective Precision!
Higher Torque Density!
High Radial Loads!
High Efficiency!
Greater Stability!



Model	KD-280	KD-430	KD-520	KD-750
Rotor Diameter (mm)	Φ 280	Φ 430	Φ 520	Φ 750
Rotor Blade (pc)	20t x 15 ~ 40	40t x 20 ~ 30	50t x 26 ~ 32	50 / 75t x 30 / 20
Chamber (mm)	470 x 300 ~ 800	750 x 850 ~ 1250	870 x 1300 ~ 1600	1500 x 1450
Shaft Speed (RPM)	13 ~ 14	14.5	14.5	10
Main Drive	7.5 ~ 20HP (5.5 ~ 15kW)	15HP x 2 ~ 30HP x 2 (11kW x 2 ~ 22kW x 2)	50HP x 2 ~ 60HP x 2 (37kW x 2 ~ 45kW x 2)	150 ~ 250HP (110 ~ 200kW)

WEEE WASTE
ELECTRICAL EQUIPMENT



WASTE WOODEN PALLET



CHEMICAL DRUMS



WASTE PAPER



USED TIRES



Single Shaft Shredder

Kroko Series

Shredder and Crusher



Model	KK-220	KK-400	KK-480	KK-650
Rotor Diameter (mm)	Φ 220	Φ 400	Φ 480	Φ 650
Rotor Blade (pc)	23	46 ~ 80	94 ~ 120	150
Stationary Blade (pc)	4	6 ~ 10	12 ~ 14	16
Mesh Diameter (mm)	40	40	40	40
Chamber (mm)	550 x 600	850 x 750 ~ 1600	1000 x 1600 ~ 2100	1200 x 2500
Shaft Speed (RPM)	78	78	78	78
Main Drive	30HP (22kW)	50 ~ 125HP (37 ~ 90kW)	100HP x 2 ~ 125HP x 2 (75kW x 2 ~ 90kW x 2)	150HP x 2 (110kW x 2)
Hydraulic Motor	2HP (1.5kW)	3~7.5HP (2.2 ~ 5.5kW)	10HP (7.5kW)	10HP (7.5kW)

CABLE WIRES



DRIP TAPES



BIG BAGS



FILMS



PLASTIC LUMPS



Crusher

Gepard Series

Model **S**



Model **W**



AGRICULTURE FILM



PACKING STRAPS



PIPES



STRECH FILM



BOTTLES



RAFFIA



Model	GP-380	GP-500	GP-600	GP-800
Rotor Diameter (mm)	380	500	600	800
Rotor Lenth (mm)	500	500 ~ 1200	800 ~ 1600	1000
Enterance Size (mm)	300 x 300	500 x 1000	600 x 1000	800 x 1200
Main Drive	20 ~ 60 HP (15 ~ 45KW)	40 ~ 100 HP (30 ~ 75KW)	60 ~ 150 HP (45 ~ 110KW)	100 ~ 200 HP (75 ~ 150KW)
Screen Size (mm)	> 6	> 6	> 10	> 10
Capacity (Kg/Hr)	400 ~ 1200	500 ~ 1200	800 ~ 1600	1200~2000

Smart Recycling, the Genius Way

長毅機械工業有限公司 GENIUS MACHINERY CO., LTD.

434台中市龍井區麗水里三港路田仔內巷10-5號 No. 10-5, Tianzainei Ln., Sangang Rd., Longjing Dist., Taichung City 434, Taiwan

Tel. +886-4-26301621 Fax. +886-4-26301716 E-mail. service@geniusplas.com www.geniusplas.com



uCloud