

INTERLEAVED DRAW TAPE BAG ON ROLL CONVERTING SYSTEM


[Common Type for Long / Short Bags]



TA-IPD-XL



Flowchart



Features

- Servo driven shuttle track sealing and perforation system.
- Reliable versatile system to produce a wide variety of bag on roll products including Poly-Draw, Star Seal, Produce Bag, Table Cover, Conventional Bag and many more.
- Equipped with operator friendly PLC touchscreen control interface.
- In-line Labeling machine.
- The double sealing device can increase production speed for smaller bag width.

Specifications

* Specification subject to change without notice

MODEL	TA-1000IPD-XL
Single Thickness (mm)	HDPE 0.008~0.025 / LDPE 0.020~0.100
Machine Speed (M/min)	20~140
Max. Output (pcs/min)	280
Max. Dia of Product (mm)	Φ180 * W 275
Draw-Tape Width (mm)	100
Draw-Tape Thickness (mm)	0.020~0.025
Power Required (kw)	57.4

www.lungmeng.com.tw



uCloud



LUNG MENG MACHINERY CO., LTD.

Headquarters

No. 20, Huan Kung Rd.,
Yung Kang Ind. Area,
Tainan City 710, Taiwan
T.+886-6-232-1126
F.+886-6-203-1178
E.sales@lm-hq.com

Taipei Office

6F-7, No. 28, Sec. 3,
Ren-ai Rd., Da-an Dist.,
Taipei City 106, Taiwan
T.+886-2-2706-0758
F.+886-2-2706-0658