





Energy Saving / Environmentally Friendly / High-Tech / Robust Design

POLY DRAW BAG ON ROLL INTERLEAVED / PERFORATED CONVERTING SYSTEM

 **TA-R-IPD** series


Flowchart / Unit : mm




Ancillaries

- Labeling machine : TA-200IV-C*
- Rotary punching machine for wave-top bags : TAB-400SQ


Types of bags




■ TA-900R4-IPD



■ TA-1250R4-IPD



Option / you can also produce



■ TA-900R4-IPD



■ TA-1250R4-IPD



POLY DRAW BAG ON ROLL INTERLEAVED / PERFORATED CONVERTING SYSTEM

Features

- High-speed servo-driven system
- Special sealing system, keeping the production speed steady regardless of the film thickness and length
- Convenient sealing knife system, with easy changeovers of sealing knives, making production more flexible
- Unique perforating knife system for various film materials
- Intellectual rotary interleaved winder with the 2-in-1 system applicable to bags on roll and interleaved bags
- User friendly touch screen control system
- Reliable & multi-functional system, capable of producing star sealed bags, wave type bags, table covers and many more through modular system changes



Specifications

* Not outfitted with the setting function for printing distance

MODEL	TA-R-IPD
Thickness in single layer (mm) for sealing	HDPE 0.008 ~ 0.040 . LDPE 0.020 ~ 0.060
Flat top bag - thickness (total) (mm)	HDPE 0.080 . LDPE 0.120
Poly draw bag - thickness (total) (mm)	HDPE 0.320 . LDPE 0.480
Draw tape bag width (mm)	400 ~ 1000
Flat top bag length (mm)	390 ~ 1500
Machine speed (meter/per minute)	200
Maximum output (pieces/per minute)	400
Maximum diameter of finished roll (mm)	180
Draw tape width (mm)	100
Maximum outer diameter of draw-tape roll (mm)	800
Finished roll width (mm)	100 ~ 275
Draw tape thickness (mm)	0.020 ~ 0.025 (HD+LD)
Air compressor (liter/minute)	1400 liter/per minute



LUNG MENG MACHINERY CO., LTD.

Headquarters

No. 20, Huan Kung Rd.,
Yung Kang Ind. Area,
Tainan City 710, Taiwan
Tel : +886-6-232-1126
Fax : +886-6-203-1178
Email : sales@lm-hq.com

Taipei Office

7F., No.12-19, Sec. 2,
Zhongyang S. Rd., Beitou Dist.,
Taipei City 112, Taiwan
Tel : +886-2-2897-6599
Fax : +886-2-2897-9618

www.lungmeng.com.tw



Ta-Hsien IPD series 2022-07-01